

Chn	Position	U#	Type & Accessories & Watts	Purpose	Clr+T
(1)	FOH 2	1	Source 4 14 Deg 750w	Frontlight	R114+ R3202
(2)	FOH 2	2	Source 4 14 Deg 750w	Frontlight	R114+ R3202
(3)	FOH 2	3	Source 4 14 Deg 750w	Frontlight	R114+ R3202
(4)	FOH 2	4	Source 4 14 Deg 750w	Frontlight	R114+ R3202
(5)	FOH 2	5	Source 4 14 Deg 750w	Frontlight	R114+ R3202
(6)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(7)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(8)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(9)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(10)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(11)	LX 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(12)	LX 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(13)	LX 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(14)	LX 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(15)	LX 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
(21)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+R305
(22)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+R305
(23)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+R305
(24)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+R305
(25)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+R305
(31)	BBR Top		Source 4 19 Deg 750w	Apron High	R114+ R3202
(32)	BBL Top		Source 4 19 Deg 750w	Apron High	R114+ R3202
(33)	BBR Mid		Source 4 19 Deg 750w	Apron Low	R114+ R3202

Chn	Position	U#	Type & Accessories & Watts	Purpose	Clr+T
(34)	BBL Mid		Source 4 19 Deg 750w	Apron Low	R114+ R3202
(41)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(42)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(43)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(44)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(45)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(46)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(47)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(48)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(49)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(50)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(51)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(52)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(53)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(54)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(55)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
(61)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
(62)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
(63)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
(64)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
(65)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
(66)	LX 3		Source 4 26 Deg 750w	Down Pools	NC
(67)	LX 3		Source 4 26 Deg 750w	Down Pools	NC
(68)	LX 3		Source 4 26 Deg 750w	Down Pools	NC
(69)	LX 3		Source 4 26 Deg 750w	Down Pools	NC
(70)	LX 3		Source 4 26 Deg 750w	Down Pools	NC
(71)	LX4		Source 4 26 Deg 750w	Down Pools	NC
(72)	LX4		Source 4 26 Deg 750w	Down Pools	NC
(73)	LX4		Source 4 26 Deg 750w	Down Pools	NC
(74)	LX4		Source 4 26 Deg 750w	Down Pools	NC
(75)	LX4		Source 4 26 Deg 750w	Down Pools	NC
(81)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(82)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(83)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(84)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(85)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	

Chn	Position	U#	Type & Accessories & Watts	Purpose	Clr+T
(86)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(87)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(88)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
(91)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(92)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(93)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(94)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(95)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(96)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(97)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(98)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
(101)	LX 1		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(102)	LX 2		Souce 4 26 Deg+Direct Profile 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(103)	LX 3		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(104)	LX 4		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(105)	LX 1		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(106)	LX 2		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(107)	BBR Top		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(108)	BBL Top		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
(111)	LX 3		Souce 4 26 Deg 750w	Gobo Apron Wash	NC, T: Leafy Breakup
(112)	LX 4		Souce 4 26 Deg 750w	Gobo Apron Wash	NC, T: Leafy Breakup

Chn	Position	U#	Type & Accessories & Watts	Purpose	Clr+T
(121)	SR Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(122)	SR Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(123)	SR Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(124)	SR Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(125)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(126)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(127)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(128)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
(131)	SR Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(132)	SR Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(133)	SR Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(134)	SR Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(135)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(136)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(137)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(138)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
(201)	LX 2		Mac Quantum Profile+Extended Profile 750w	Mover Spot	
(202)	LX 2		Mac Quantum Profile+Extended Profile 750w	Mover Spot	
(211)	BBR Bottom		Mac Aura+Extended Profile	Mover Wash	
(212)	BBL Bottom		Mac Aura+Extended Profile	Mover Wash	
(213)	LX 3		Mac Aura+Extended Profile	Mover Wash	

Chn	Position	U#	Type & Accessories & Watts	Purpose	Clr+T
(214)	LX 3		Mac Aura+Extended Profile	Mover Wash	
(215)	LX 3		Mac Aura+Extended Profile	Mover Wash	
(221)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(222)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(223)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(224)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(225)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(226)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(227)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
(231)	BBR Bottom		Mac 250+Extended Profile	Mover House	
(232)	BBL Bottom		Mac 250+Extended Profile	Mover House	
(241)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
(242)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
(243)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
(244)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
(245)	LX 1		Altman Shakespeare Zoom 750w	Specials	NC
(246)	LX 1		Altman Shakespeare Zoom 750w	Specials	NC
(247)	LX 1		Altman Shakespeare Zoom 750w	Specials	NC
(248)	LX 1		Altman Shakespeare Zoom 750w	Specials	NC
(301)	BBR Bottom		Source 4 PAR Wide 750w	Curtain Warmer	RED
	"		"	"	"
(302)	BBL Bottom		Source 4 PAR Wide 750w	Curtain Warmer	AMBER
	"		"	"	"
(311)	Rail C		Source 4 19 Deg 750w	Curtain Texture	NC, T: Breakup
	"		"	"	"
(321)	Rail		Blizzard HotBox RGBW+8Ch Profile 750w	House Wall LED	
(322)	Rail		Blizzard HotBox RGBW+8Ch Profile 750w	House Wall LED	
(323)	Rail		Blizzard HotBox RGBW+8Ch Profile 750w	House Wall LED	
(324)	Rail		Blizzard HotBox RGBW+8Ch Profile 750w	House Wall LED	

Chn	Position	U#	Type & Accessories & Watts	Purpose	Clr+T
(325)	Rail		Blizzard HotBox RGBW+8Ch Profile 750w	House Wall LED	
(326)	Rail		Blizzard HotBox RGBW+8Ch Profile 750w	House Wall LED	
(331)	Rail A		Altman Shakespeare 30 Deg 750w	Wall Texture	
(332)	Rail E		Altman Shakespeare 30 Deg 750w	Wall Texture	
(341)	BBR Top		Source 4 26 Deg 750w	Audience Texture	
	"		"	"	
(342)	BBL Top		Source 4 26 Deg 750w	Audience Texture	
	"		"	"	
(343)	Rail A		Source 4 26 Deg 750w	Audience Texture	
(344)	Rail E		Source 4 26 Deg 750w	Audience Texture	
(351)	BBR Mid		Source 4 19 Deg 750w	ASL Lights	R114+ R3202
(352)	BBL Mid		Source 4 19 Deg 750w	ASL Lights	R114+ R3202
(403)	FOH 1		ADJ MB1	Mirror Ball	
(405)	Fly Rail		Martin ZR 24/7	Hazer	
(406)	Fly Rail		Fan	Hazer FAn	
(500)	House			House Lights	
	"			"	
	"			"	
	"			"	
(501)	Aisles			House Lights	
	"			"	
	"			"	
	"			"	
(502)	Inner Doors			House Lights	



1/3 Dim 1/3	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/4 Dim 1/4	Chn (332)	Pos Rail E	U#	Type & Accessories & Watts Altman Shakespeare 30 Deg 750w	Purpose Wall Texture	Clr+T
1/5 Dim 1/5	Chn (311)	Pos Rail C	U#	Type & Accessories & Watts Source 4 19 Deg 750w	Purpose Curtain Texture	Clr+T NC, T: Breakup
	"	"		"	"	"
1/6 Dim 1/6	Chn (344)	Pos Rail E	U#	Type & Accessories & Watts Source 4 26 Deg 750w	Purpose Audience Texture	Clr+T
1/7 Dim 1/7	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/8 Dim 1/8	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/9 Dim 1/9	Chn (343)	Pos Rail A	U#	Type & Accessories & Watts Source 4 26 Deg 750w	Purpose Audience Texture	Clr+T
1/10 Dim 1/10	Chn (331)	Pos Rail A	U#	Type & Accessories & Watts Altman Shakespeare 30 Deg 750w	Purpose Wall Texture	Clr+T
1/11 Dim 1/11	Chn (302)	Pos BBL Bottom	U#	Type & Accessories & Watts Source 4 PAR Wide 750w	Purpose Curtain Warmer	Clr+T AMBER



1/12 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/12	(302)	BBL Bottom		Source 4 PAR Wide 750w	Curtain Warmer	AMBER
1/13 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/13	(5)	FOH 2	5	Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/14 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/14	(25)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+ R305
1/17 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/17	(4)	FOH 2	4	Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/18 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/18	(24)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+ R305
1/20 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/20	(3)	FOH 2	3	Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/21 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/21	(23)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+ R305
1/23 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/23	(2)	FOH 2	2	Source 4 14 Deg 750w	Frontlight	R114+ R3202

1/24 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/24	(22)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+ R305
1/25 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/25	(111)	LX 3		Source 4 26 Deg 750w	Gobo Apron Wash	NC, T: Leafy Breakup
1/27 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/27	(1)	FOH 2	1	Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/28 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/28	(21)	FOH 2		Source 4 19 Deg 750w	Frontlight Fill	R114+ R305
1/31 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/31	(112)	LX 4		Source 4 26 Deg 750w	Gobo Apron Wash	NC, T: Leafy Breakup
1/32 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/32	(243)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
1/33 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/33	(10)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/34 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/34	(244)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC

1/35 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/35	(9)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/38 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/38	(8)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/39 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/39	(7)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/40 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/40	(242)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
1/41 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/41	(6)	FOH 1		Source 4 14 Deg 750w	Frontlight	R114+ R3202
1/42 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/42	(241)	FOH 1		Source 4 15-36 Deg 750w	Specials	NC
1/44 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/44	(33)	BBR Mid		Source 4 19 Deg 750w	Apron Low	R114+ R3202
1/47 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/47	(352)	BBL Mid		Source 4 19 Deg 750w	ASL Lights	R114+ R3202
1/48 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/48	(342)	BBL Top		Source 4 26 Deg 750w	Audience Texture	
	"	"		"	"	

1/49 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/49	(32)	BBL Top		Source 4 19 Deg 750w	Apron High	R114+ R3202
1/50 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/50	(34)	BBL Mid		Source 4 19 Deg 750w	Apron Low	R114+ R3202
1/51 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/51	(351)	BBR Mid		Source 4 19 Deg 750w	ASL Lights	R114+ R3202
1/52 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/52	(301)	BBR Bottom		Source 4 PAR Wide 750w	Curtain Warmer	RED
1/53 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/53	(341)	BBR Top		Source 4 26 Deg 750w	Audience Texture	
	"	"		"	"	
1/54 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/54	(31)	BBR Top		Source 4 19 Deg 750w	Apron High	R114+ R3202
1/55 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/55	(301)	BBR Bottom		Source 4 PAR Wide 750w	Curtain Warmer	RED
1/56 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/56	(666)				Hotpatch	

1/58 Dim 1/58	Chn (105)	Pos LX 1	U#	Type & Accessories & Watts Souce 4 26 Deg 750w	Purpose Gobo Stage Wash	Clr+T NC, T: Leafy Breakup
1/60 Dim 1/60	Chn (15)	Pos LX 1	U#	Type & Accessories & Watts Source 4 14 Deg 750w	Purpose Frontlight	Clr+T R114+ R3202
1/61 Dim 1/61	Chn (14)	Pos LX 1	U#	Type & Accessories & Watts Source 4 14 Deg 750w	Purpose Frontlight	Clr+T R114+ R3202
1/62 Dim 1/62	Chn (248)	Pos LX 1	U#	Type & Accessories & Watts Altman Shakespeare Zoom 750w	Purpose Specials	Clr+T NC
1/64 Dim 1/64	Chn (246)	Pos LX 1	U#	Type & Accessories & Watts Altman Shakespeare Zoom 750w	Purpose Specials	Clr+T NC
1/65 Dim 1/65	Chn (247)	Pos LX 1	U#	Type & Accessories & Watts Altman Shakespeare Zoom 750w	Purpose Specials	Clr+T NC
1/66 Dim 1/66	Chn (13)	Pos LX 1	U#	Type & Accessories & Watts Source 4 14 Deg 750w	Purpose Frontlight	Clr+T R114+ R3202
1/67 Dim 1/67	Chn (11)	Pos LX 1	U#	Type & Accessories & Watts Source 4 14 Deg 750w	Purpose Frontlight	Clr+T R114+ R3202
1/68 Dim 1/68	Chn (12)	Pos LX 1	U#	Type & Accessories & Watts Source 4 14 Deg 750w	Purpose Frontlight	Clr+T R114+ R3202

1/69							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/69	(245)	LX 1		Altman Shakespeare Zoom 750w	Specials	NC	
1/72							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/72	(101)	LX 1		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup	
1/73							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/73	(666)				Hotpatch		
1/80							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/80	(74)	LX4		Source 4 26 Deg 750w	Down Pools	NC	
1/85							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/85	(69)	LX 3		Source 4 26 Deg 750w	Down Pools	NC	
1/87							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/87	(666)				Hotpatch		
1/88							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/88	(62)	LX 2		Source 4 26 Deg 750w	Down Pools	NC	
1/89							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/89	(666)				Hotpatch		
1/90							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/90	(63)	LX 2		Source 4 26 Deg 750w	Down Pools	NC	
1/91							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
1/91	(666)				Hotpatch		

1/92 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/92	(666)				Hotpatch	
1/94 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/94	(61)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
1/95 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/95	(102)	LX 2		Souce 4 26 Deg+Direct Profile 750w	Gobo Stage Wash	NC, T: Leafy Breakup
1/96 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/96	(128)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
1/97 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/97	(138)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
1/98 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/98	(137)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
1/99 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/99	(127)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
1/103 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/103	(73)	LX4		Source 4 26 Deg 750w	Down Pools	NC
1/104 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/104	(67)	LX 3		Source 4 26 Deg 750w	Down Pools	NC

1/105 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/105	(666)				Hotpatch	
1/106 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/106	(68)	LX 3		Source 4 26 Deg 750w	Down Pools	NC
1/107 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/107	(666)				Hotpatch	
1/108 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/108	(72)	LX4		Source 4 26 Deg 750w	Down Pools	NC
1/109 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/109	(666)				Hotpatch	
1/112 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/112	(666)				Hotpatch	
1/114 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/114	(65)	LX 2		Source 4 26 Deg 750w	Down Pools	NC
1/115 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/115	(106)	LX 2		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
1/116 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/116	(666)				Hotpatch	
1/117 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/117	(64)	LX 2		Source 4 26 Deg 750w	Down Pools	NC



1/119 Dim 1/119	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/120 Dim 1/120	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/123 Dim 1/123	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/124 Dim 1/124	Chn (124)	Pos SR Ladder	U#	Type & Accessories & Watts Souce 4 PAR NSP 750w	Purpose Low Side Bottom	Clr+T NC
1/125 Dim 1/125	Chn (134)	Pos SR Ladder	U#	Type & Accessories & Watts Souce 4 26 Deg 750w	Purpose Low Side Mid	Clr+T NC
1/126 Dim 1/126	Chn (123) (122)	Pos SR Ladder "	U#	Type & Accessories & Watts Souce 4 PAR NSP 750w "	Purpose Low Side Bottom "	Clr+T NC "
1/127 Dim 1/127	Chn (133)	Pos SR Ladder	U#	Type & Accessories & Watts Souce 4 26 Deg 750w	Purpose Low Side Mid	Clr+T NC
1/128 Dim 1/128	Chn (666)	Pos	U#	Type & Accessories & Watts	Purpose Hotpatch	Clr+T
1/130 Dim 1/130	Chn (70)	Pos LX 3	U#	Type & Accessories & Watts Source 4 26 Deg 750w	Purpose Down Pools	Clr+T NC

1/131	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/131		(107)	BBR Top		Source 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
1/132	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/132		(131)	SR Ladder		Source 4 26 Deg 750w	Low Side Mid	NC
1/135	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/135		(132)	SR Ladder		Source 4 26 Deg 750w	Low Side Mid	NC
		(121)	"		Source 4 PAR NSP 750w	Low Side Bottom	"
1/136	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/136		(666)				Hotpatch	
1/138	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/138		(108)	BBL Top		Source 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
1/139	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/139		(75)	LX4		Source 4 26 Deg 750w	Down Pools	NC
1/140	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/140		(666)				Hotpatch	
1/142	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/142		(66)	LX 3		Source 4 26 Deg 750w	Down Pools	NC

1/143	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/143		(103)	LX 3		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
1/144	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/144		(125)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
1/145	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/145		(135)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
1/146	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/146		(136)	SL Ladder		Souce 4 26 Deg 750w	Low Side Mid	NC
1/147	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/147		(126)	SL Ladder		Souce 4 PAR NSP 750w	Low Side Bottom	NC
1/148	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/148		(666)				Hotpatch	
1/150	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/150		(71)	LX4		Source 4 26 Deg 750w	Down Pools	NC
1/151	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/151		(104)	LX 4		Souce 4 26 Deg 750w	Gobo Stage Wash	NC, T: Leafy Breakup
1/182	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/182		(406)	Fly Rail		Fan	Hazer FAn	

1/500	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/500		(500)	House			House Lights	
1/501	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/501		(500)	House			House Lights	
1/502	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/502		(500)	House			House Lights	
1/503	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/503		(502)	Inner Doors			House Lights	
1/504	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/504		(501)	Aisles			House Lights	
1/505	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/505		(501)	Aisles			House Lights	
1/506	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/506		(501)	Aisles			House Lights	
1/507	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/507		(501)	Aisles			House Lights	
1/512	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
1/512		(500)	House			House Lights	
2/1	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/1		(41)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114

2/7 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/7	(42)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/13 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/13	(43)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/19 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/19	(44)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/25 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/25	(45)	LX 2		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/31 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/31	(46)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/37 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/37	(47)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/43 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/43	(48)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/49 Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/49	(49)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114

2/55	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/55		(50)	LX 3		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/61	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/61		(51)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/67	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/67		(52)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/73	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/73		(53)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/79	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/79		(54)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/85	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/85		(55)	LX 4		Colorsource PAR Med+Direct Profile	Down Light LED	R114
2/91	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/91		(81)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
2/97	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/97		(82)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	

2/103							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/103	(93)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Far Side LED		
2/109							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/109	(84)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Near Side LED		
2/115							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/115	(95)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Far Side LED		
2/121							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/121	(96)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Far Side LED		
2/127							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/127	(87)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Near Side LED		
2/133							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/133	(88)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Near Side LED		
2/139							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/139	(91)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Far Side LED		
2/145							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/145	(92)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Far Side LED		

2/151	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/151		(83)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
2/157	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/157		(94)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
2/163	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/163		(85)	LX 1		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
2/169	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/169		(86)	LX 2		Colorsource Spot 19 Deg+Direct Profile	Near Side LED	
2/175	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/175		(97)	LX 3		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
2/181	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/181		(98)	LX 4		Colorsource Spot 19 Deg+Direct Profile	Far Side LED	
2/188	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/188		(201)	LX 2		Mac Quantum Profile+Extended Profile 750w	Mover Spot	
2/216	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/216		(202)	LX 2		Mac Quantum Profile+Extended Profile 750w	Mover Spot	



2/243	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/243		(215)	LX 3		Mac Aura+Extended Profile	Mover Wash	
		(211)	BBR Bottom		"	"	
2/268	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/268		(212)	BBL Bottom		Mac Aura+Extended Profile	Mover Wash	
2/293	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/293		(213)	LX 3		Mac Aura+Extended Profile	Mover Wash	
2/318	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/318		(214)	LX 3		Mac Aura+Extended Profile	Mover Wash	
2/368	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/368		(221)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
2/375	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/375		(222)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
2/382	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/382		(223)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
2/389	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/389		(224)	LX 5		Colorsource LED CYC+Direct Profile	CYC	
2/396	Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T
2/396		(225)	LX 5		Colorsource LED CYC+Direct Profile	CYC	

2/403							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/403	(226)	LX 5		Colorsource LED CYC+Direct Profile	CYC		
2/410							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/410	(227)	LX 5		Colorsource LED CYC+Direct Profile	CYC		
2/417							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/417	(231)	BBR Bottom		Mac 250+Extended Profile	Mover House		
2/436							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/436	(232)	BBL Bottom		Mac 250+Extended Profile	Mover House		
2/495							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/495	(403)	FOH 1		ADJ MB1	Mirror Ball		
2/497							
Dim	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Clr+T	
2/497	(405)	Fly Rail		Martin ZR 24/7	Hazer		

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
FOH 1		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(10)	1/33
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(6)	1/41
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(7)	1/39
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(8)	1/38
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(9)	1/35
		Source 4 15-36 Deg	750w	Specials	NC	(242)	1/40
		Source 4 15-36 Deg	750w	Specials	NC	(241)	1/42
		Source 4 15-36 Deg	750w	Specials	NC	(244)	1/34
		Source 4 15-36 Deg	750w	Specials	NC	(243)	1/32
		ADJ MB1		Mirror Ball		(403)	2/495
	FOH 2		Source 4 19 Deg	750w	Frontlight Fill	R114+ R305	(25)
		Source 4 19 Deg	750w	Frontlight Fill	R114+ R305	(21)	1/28
		Source 4 19 Deg	750w	Frontlight Fill	R114+ R305	(24)	1/18
		Source 4 19 Deg	750w	Frontlight Fill	R114+ R305	(23)	1/21
		Source 4 19 Deg	750w	Frontlight Fill	R114+ R305	(22)	1/24
1		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(1)	1/27
2		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(2)	1/23
3		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(3)	1/20
4		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(4)	1/17
5		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(5)	1/13

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim	
LX 1		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(12)	1/68	
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(14)	1/61	
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(15)	1/60	
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(13)	1/66	
		Source 4 14 Deg	750w	Frontlight	R114+ R3202	(11)	1/67	
		Colorsource Spot 19 Deg+ Direct Profile			Near Side LED		(85)	2/163
		Colorsource Spot 19 Deg+ Direct Profile			Far Side LED		(91)	2/139
		Colorsource Spot 19 Deg+ Direct Profile			Near Side LED		(81)	2/91
		Colorsource Spot 19 Deg+ Direct Profile			Far Side LED		(95)	2/115
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(105)	1/58	
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(101)	1/72	
		Altman Shakespeare Zoom	750w	Specials	NC	(245)	1/69	
		Altman Shakespeare Zoom	750w	Specials	NC	(246)	1/64	
		Altman Shakespeare Zoom	750w	Specials	NC	(247)	1/65	
		Altman Shakespeare Zoom	750w	Specials	NC	(248)	1/62	
BBR Top		Source 4 19 Deg	750w	Apron High	R114+ R3202	(31)	1/54	
		Source 4 26 Deg	750w	Audience Texture		(341)	1/53	
		Source 4 26 Deg	750w	Audience Texture		(341)	1/53	
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(107)	1/131	
BBR Mid		Source 4 19 Deg	750w	Apron Low	R114+ R3202	(33)	1/44	
		Source 4 19 Deg	750w	ASL Lights	R114+ R3202	(351)	1/51	

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
BBL Mid		Source 4 19 Deg	750w	Apron Low	R114+ R3202	(34)	1/50
		Source 4 19 Deg	750w	ASL Lights	R114+ R3202	(352)	1/47
BBL Top		Source 4 19 Deg	750w	Apron High	R114+ R3202	(32)	1/49
		Source 4 26 Deg	750w	Audience Texture		(342)	1/48
		Source 4 26 Deg	750w	Audience Texture		(342)	1/48
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(108)	1/138

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
LX 2		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(42)	2/7
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(45)	2/25
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(44)	2/19
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(43)	2/13
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(41)	2/1
		Source 4 26 Deg	750w	Down Pools	NC	(64)	1/117
		Source 4 26 Deg	750w	Down Pools	NC	(63)	1/90
		Source 4 26 Deg	750w	Down Pools	NC	(65)	1/114
		Source 4 26 Deg	750w	Down Pools	NC	(62)	1/88
		Source 4 26 Deg	750w	Down Pools	NC	(61)	1/94
		Colorsource Spot 19 Deg+ Direct Profile		Far Side LED		(96)	2/121
		Colorsource Spot 19 Deg+ Direct Profile		Far Side LED		(92)	2/145
		Colorsource Spot 19 Deg+ Direct Profile		Near Side LED		(86)	2/169
		Colorsource Spot 19 Deg+ Direct Profile		Near Side LED		(82)	2/97
		Souce 4 26 Deg+Direct Profile	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(102)	1/95
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(106)	1/115
		Mac Quantum Profile+ Extended Profile	750w	Mover Spot		(202)	2/216
		Mac Quantum Profile+ Extended Profile	750w	Mover Spot		(201)	2/188

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
LX 3		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(47)	2/37
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(48)	2/43
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(46)	2/31
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(50)	2/55
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(49)	2/49
		Source 4 26 Deg	750w	Down Pools	NC	(68)	1/106
		Source 4 26 Deg	750w	Down Pools	NC	(70)	1/130
		Source 4 26 Deg	750w	Down Pools	NC	(69)	1/85
		Source 4 26 Deg	750w	Down Pools	NC	(67)	1/104
		Source 4 26 Deg	750w	Down Pools	NC	(66)	1/142
		Colorsource Spot 19 Deg+ Direct Profile		Far Side LED		(97)	2/175
		Colorsource Spot 19 Deg+ Direct Profile		Far Side LED		(93)	2/103
		Colorsource Spot 19 Deg+ Direct Profile		Near Side LED		(83)	2/151
		Colorsource Spot 19 Deg+ Direct Profile		Near Side LED		(87)	2/127
		Souce 4 26 Deg	750w	Gobo Apron Wash	NC, T: Leafy Breakup	(111)	1/25
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(103)	1/143
		Mac Aura+Extended Profile		Mover Wash		(214)	2/318
		Mac Aura+Extended Profile		Mover Wash		(213)	2/293
		Mac Aura+Extended Profile		Mover Wash		(215)	2/243

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
LX 4		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(52)	2/67
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(54)	2/79
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(55)	2/85
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(53)	2/73
		Colorsource PAR Med+ Direct Profile		Down Light LED	R114	(51)	2/61
		Colorsource Spot 19 Deg+ Direct Profile		Near Side LED		(84)	2/109
		Colorsource Spot 19 Deg+ Direct Profile		Far Side LED		(98)	2/181
		Colorsource Spot 19 Deg+ Direct Profile		Far Side LED		(94)	2/157
		Colorsource Spot 19 Deg+ Direct Profile		Near Side LED		(88)	2/133
		Souce 4 26 Deg	750w	Gobo Stage Wash	NC, T: Leafy Breakup	(104)	1/151
	Souce 4 26 Deg	750w	Gobo Apron Wash	NC, T: Leafy Breakup	(112)	1/31	
SR Ladder		Souce 4 26 Deg	750w	Low Side Mid	NC	(132)	1/135
		Souce 4 26 Deg	750w	Low Side Mid	NC	(133)	1/127
		Souce 4 26 Deg	750w	Low Side Mid	NC	(134)	1/125
		Souce 4 26 Deg	750w	Low Side Mid	NC	(131)	1/132
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(123)	1/126
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(124)	1/124
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(122)	1/126
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(121)	1/135



Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
SL Ladder		Souce 4 26 Deg	750w	Low Side Mid	NC	(136)	1/146
		Souce 4 26 Deg	750w	Low Side Mid	NC	(137)	1/98
		Souce 4 26 Deg	750w	Low Side Mid	NC	(135)	1/145
		Souce 4 26 Deg	750w	Low Side Mid	NC	(138)	1/97
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(125)	1/144
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(126)	1/147
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(128)	1/96
		Souce 4 PAR NSP	750w	Low Side Bottom	NC	(127)	1/99
LX4		Source 4 26 Deg	750w	Down Pools	NC	(72)	1/108
		Source 4 26 Deg	750w	Down Pools	NC	(73)	1/103
		Source 4 26 Deg	750w	Down Pools	NC	(71)	1/150
		Source 4 26 Deg	750w	Down Pools	NC	(75)	1/139
		Source 4 26 Deg	750w	Down Pools	NC	(74)	1/80
BBR Bottom		Mac Aura+Extended Profile		Mover Wash		(211)	2/243
		Mac 250+Extended Profile		Mover House		(231)	2/417
		Source 4 PAR Wide	750w	Curtain Warmer	RED	(301)	1/55
		Source 4 PAR Wide	750w	Curtain Warmer	RED	(301)	1/52
BBL Bottom		Mac Aura+Extended Profile		Mover Wash		(212)	2/268
		Mac 250+Extended Profile		Mover House		(232)	2/436
		Source 4 PAR Wide	750w	Curtain Warmer	AMBER	(302)	1/11
		Source 4 PAR Wide	750w	Curtain Warmer	AMBER	(302)	1/12

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
LX 5		Colorsource LED CYC+ Direct Profile		CYC		(224)	2/389
		Colorsource LED CYC+ Direct Profile		CYC		(222)	2/375
		Colorsource LED CYC+ Direct Profile		CYC		(225)	2/396
		Colorsource LED CYC+ Direct Profile		CYC		(227)	2/410
		Colorsource LED CYC+ Direct Profile		CYC		(223)	2/382
		Colorsource LED CYC+ Direct Profile		CYC		(221)	2/368
		Colorsource LED CYC+ Direct Profile		CYC		(226)	2/403
Rail C		Source 4 19 Deg	750w	Curtain Texture	NC, T: Breakup	(311)	1/5
		Source 4 19 Deg	750w	Curtain Texture	NC, T: Breakup	(311)	1/5
Rail		Blizzard HotBox RGBW+ 8Ch Profile	750w	House Wall LED		(324)	
		Blizzard HotBox RGBW+ 8Ch Profile	750w	House Wall LED		(326)	
		Blizzard HotBox RGBW+ 8Ch Profile	750w	House Wall LED		(323)	
		Blizzard HotBox RGBW+ 8Ch Profile	750w	House Wall LED		(322)	
		Blizzard HotBox RGBW+ 8Ch Profile	750w	House Wall LED		(325)	
		Blizzard HotBox RGBW+ 8Ch Profile	750w	House Wall LED		(321)	
Rail A		Source 4 26 Deg	750w	Audience Texture		(343)	1/9
		Altman Shakespeare 30 Deg	750w	Wall Texture		(331)	1/10
Rail E		Source 4 26 Deg	750w	Audience Texture		(344)	1/6
		Altman Shakespeare 30 Deg	750w	Wall Texture		(332)	1/4
House				House Lights		(500)	1/501
				House Lights		(500)	1/500
				House Lights		(500)	1/502
				House Lights		(500)	1/512

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
Aisles				House Lights		(501)	1/504
				House Lights		(501)	1/505
				House Lights		(501)	1/507
				House Lights		(501)	1/506
Inner Doors				House Lights		(502)	1/503
Fly Rail		Fan		Hazer FAn		(406)	1/182
		Martin ZR 24/7		Hazer		(405)	2/497

Items WITHOUT Position:

Position	U#	Type & Accessories	W	Purpose	Clr+T	Chn	Dim
				Hotpatch		(666)	1/87
				Hotpatch		(666)	1/89
				Hotpatch		(666)	1/91
				Hotpatch		(666)	1/123
				Hotpatch		(666)	1/128
				Hotpatch		(666)	1/92
				Hotpatch		(666)	1/105
				Hotpatch		(666)	1/107
				Hotpatch		(666)	1/109
				Hotpatch		(666)	1/112
				Hotpatch		(666)	1/116
				Hotpatch		(666)	1/119
				Hotpatch		(666)	1/120
				Hotpatch		(666)	1/56
				Hotpatch		(666)	1/73
				Hotpatch		(666)	1/136
				Hotpatch		(666)	1/140
				Hotpatch		(666)	1/148
				Hotpatch		(666)	1/3
				Hotpatch		(666)	1/7
				Hotpatch		(666)	1/8